

**MUNICIPALITY OF MONROEVILLE
A HOME RULE COMMUNITY, ALLEGHENY COUNTY,
PENNSYLVANIA**

ORDINANCE NO. 2332

**AN ORDINANCE OF THE MUNICIPALITY OF
MONROEVILLE, ALLEGHENY COUNTY,
PENNSYLVANIA, A HOME RULE CHARTER
COMMUNITY, ADOPTING STORM WATER QUALITY
MANAGEMENT REQUIRING THE MUNICIPALITY OF
MONROEVILLE TO IMPLEMENT A PROGRAM OF
WATER QUALITY CONTROLS IN CONJUNCTION WITH
THE PEAK FLOW RATE STANDARDS SET FORTH IN
STORM WATER PEAK FLOW RATE MANAGEMENT
ORDINANCE NO. 1788, AS AMENDED.**

WHEREAS, the MUNICIPALITY OF MONROEVILLE has previously adopted and has in place Storm Water Peak Flow Rate Management Requirements for municipal subdivision and land development;

WHEREAS, storm water runoff from lands modified by human activities threatens public health and safety by causing decreased infiltration of rainwater and increased runoff flows and velocities, which overtax the carrying capacity of existing streams and storm sewers, and greatly increases the cost to the public to manage storm water;

WHEREAS, inadequate planning and management of storm water runoff resulting from land development and redevelopment throughout a watershed can also harm surface water resources by changing the natural hydrologic patterns, accelerating stream flows (which increase scour and erosion of stream-beds and stream-banks thereby elevating sedimentation), destroying aquatic habitat and elevating aquatic pollutant concentrations and loadings such as sediments, nutrients, heavy metals and pathogens. Groundwater resources are also impacted through loss of recharge;

WHEREAS, A program of storm water management, including reasonable regulation of land development and redevelopment causing loss of natural infiltration, is fundamental to the

public health, safety, welfare, and the protection of the people of the Municipality and all the people of the Commonwealth, their resources, and the environment;

WHEREAS, Storm water can be an important water resource by providing groundwater recharge for water supplies and base flow of streams, which also protects and maintains surface water quality;

WHEREAS, Public education on the control of pollution from storm water is an essential component in successfully addressing storm water;

WHEREAS, Federal and state regulations require certain municipalities to implement a program of storm water controls. These municipalities are required to obtain a permit for storm water discharges from their separate storm sewer systems under the National Pollutant Discharge Elimination System (NPDES); and

WHEREAS, Non-storm water discharges to municipal separate storm sewer systems can contribute to pollution of waters of the Commonwealth by the Municipality.

NOW, THEREFORE, BE IT ENACTED AND ORDAINED, the MUNICIPALITY OF MONROEVILLE makes the following amendments to its Storm Water Management Ordinance:

SECTION 1. This Ordinance shall be entitled and known as “Storm Water Quality Management Ordinance”. The requirements of this Ordinance shall be read in conjunction with the storm water peak flow rate requirements set forth in Ordinance No. 1788. Additionally, Ordinance No. 1788 is affirmed to the extent it does not conflict with the terms and conditions of this within Ordinance.

SECTION 2. Purpose.

The purpose of this Ordinance is to promote health, safety, and welfare within the Municipality and its watershed by minimizing the harms and maximizing the benefits described in this Ordinance, through provisions designed to:

- A. Manage storm water runoff impacts at their source by regulating activities that cause the problems.
- B. Provide review procedures and performance standards for storm water planning and management.
- C. Utilize and preserve the existing natural drainage systems as much as possible.
- D. Manage storm water impacts close to the runoff source, which requires a minimum of structures and relies on natural processes.
- E. Focus on infiltration of storm water, to maintain groundwater recharge, to prevent degradation of surface and groundwater quality and to otherwise protect water resources.
- F. Maintain existing flows and quality of streams and watercourses.
- G. Meet legal water quality requirements under state law, including regulations at 25 Pa. Code Chapter 93.4a to protect and maintain “existing uses” and maintain the level of water quality to support those uses in all streams, and to protect and maintain water quality in “special protection” streams.
- H. Prevent scour and erosion of streambanks and streambeds.
- I. Provide for proper operations and maintenance of all permanent storm water management BMPs that are implemented in the Municipality.
- J. Provide a mechanism to identify controls necessary to meet the NPDES permit requirements.
- K. Implement an illegal discharge detection and elimination program to address non-storm water discharges into the Municipality’s separate storm sewer system.

SECTION 3. Statutory Authority.

The Municipality is empowered to regulate land use activities that affect storm water impacts by the authority of Municipal Planning Code.

SECTION 4. Applicability.

A. This Ordinance applies to any Regulated Earth Disturbance activities within the Municipality, and all storm water runoff entering into the Municipality’s separate storm sewer system from lands within the boundaries of the Municipality.

B. Earth Disturbance activities and associated storm water management controls are also regulated under existing state law and implementing regulations. This Ordinance shall operate in coordination with those parallel requirements; the requirements of this Ordinance shall be no less restrictive in meeting the purposes of this Ordinance than state law.

SECTION 5. Repealer.

Any other ordinance provision(s) or regulation of the Municipality inconsistent with any of the provisions of this Ordinance is hereby repealed to the extent of the inconsistency only.

SECTION 6. Severability.

In the event that any section or provision of this Ordinance is declared invalid by a court of competent jurisdiction, such decision shall not affect the validity of any of the remaining provisions of this Ordinance.

SECTION 7. Compatibility with Other Requirements.

1. Approvals issued and actions taken under this Ordinance do not relieve the Applicant of the responsibility to secure required permits or approvals for activities regulated by any other code, law, regulation or ordinance. To the extent that this Ordinance imposes more rigorous or stringent requirements for storm water management, the specific requirements contained in this Ordinance shall be followed.

2. Nothing in this Ordinance shall be construed to affect any of the Municipality's requirements regarding storm water matters which do not conflict with the provisions of this Ordinance, such as local storm water management design criteria (e.g. inlet spacing, inlet type, collection system design and details, outlet structure design, etc.). Conflicting provisions in other municipal ordinances or regulations shall be construed to retain the requirements of this ordinance addressing State Water Quality Requirements.

SECTION 8. Definitions.

For the purposes of this Ordinance, certain terms and words used herein shall be interpreted as follows:

A. Words used in the present tense include the future tense; the singular number includes the plural, and the plural number includes the singular; words of masculine gender include feminine gender; and words of feminine gender include masculine gender.

B. The word "includes" or "including" shall not limit the term to the specific example but is intended to extend its meaning to all other instances of like kind and character.

C. The words "shall" and "must" are mandatory; the words "may" and "should" are permissive.

Accelerated Erosion - The removal of the surface of the land through the combined action of human activities and the natural processes, at a rate greater than would occur because of the natural process alone.

Applicant - A landowner, developer or other person who has filed an application for approval to engage in any Regulated Earth Disturbance activity at a project site in the Municipality.

BMP (Best Management Practice) - Activities, facilities, designs, measures or procedures used to manage storm water impacts from Regulated Earth Disturbance activities, to meet State Water Quality Requirements, to promote groundwater recharge and to otherwise meet the purposes of this Ordinance. BMPs include but are not limited to infiltration, filter strips, low impact design, bioretention, wet ponds, permeable paving, grassed swales, forested buffers, sand filters and detention basins.

Conservation District – The Allegheny County Conservation District.

DEP - The Pennsylvania Department of Environmental Protection.

Developer - A person that seeks to undertake any Regulated Earth Disturbance activities at a project site in the Municipality.

Development - See "Earth Disturbance Activity." The term includes redevelopment.

Development Site - The specific tract of land where any Earth Disturbance activities in the Municipality are planned, conducted or maintained.

Earth Disturbance Activity - A construction or other human activity which disturbs the surface of the land, including, but not limited to, clearing and grubbing, grading, excavations, embankments, road maintenance, building construction and the moving, depositing, stockpiling, or storing of soil, rock or earth materials.

Erosion - The process by which the surface of the land, including channels, is worn away by water, wind, or chemical action.

Erosion and Sediment Control Plan - A plan for a project site which identifies BMPs to minimize accelerated erosion and sedimentation.

Groundwater Recharge - Replenishment of existing natural underground water supplies.

Impervious Surface - A surface that prevents the infiltration of water into the ground. Impervious surface includes, but is not limited to, any roof, parking or driveway areas, and any

new streets and sidewalks. Any surface areas designed to initially be gravel or crushed stone shall be assumed to be impervious surfaces.

Municipality – The Municipality of Monroeville, Allegheny County, Pennsylvania.

NPDES - National Pollutant Discharge Elimination System, the federal government’s system for issuance of permits under the Clean Water Act, which is delegated to DEP in Pennsylvania.

Outfall - “Point source” as described in 40 CFR § 122.2 at the point where the Municipality’s storm sewer system discharges to surface waters of the Commonwealth.

Person - An individual, partnership, public or private association or corporation, or a governmental unit, public utility or any other legal entity whatsoever which is recognized by law as the subject of rights and duties.

Point Source - any discernible, confined and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, or conduit from which storm water is or may be discharged, as defined in State regulations at 25 Pa. Code § 92.1.

Project Site - The specific area of land where any Regulated Earth Disturbance activities in the Municipality are planned, conducted or maintained.

Redevelopment - Earth Disturbance activities on land which has previously been disturbed or developed.

Regulated Earth Disturbance Activity - Earth disturbance activity one acre or more with a point source discharge to surface waters or the Municipality’s storm sewer system, or five acres or more regardless of the planned runoff. This includes earth disturbance on any portion of, part, or during any stage of, a larger common plan of development. This only includes road maintenance activities involving 25 acres or more or earth disturbance.

Road Maintenance - earth disturbance activities within the existing road cross-section, such as grading and repairing existing unpaved road surfaces, cutting road banks, cleaning or clearing drainage ditches and other similar activities.

Separate Storm Sewer System - A conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels or storm drains) primarily used for collecting and conveying storm water runoff.

State Water Quality Requirements - As defined under state regulations -- protection of *designated* and *existing* uses (See 25 Pa. Code Chapters 93 and 96)--including:

A. Each stream segment in Pennsylvania has a “designated use,” such as “cold water fishery” or “potable water supply,” which are listed in Chapter 93. These uses must be protected and maintained, under state regulations.

B. “Existing uses” are those attained as of November 1975, regardless whether they have been designated in Chapter 93. Regulated Earth Disturbance activities must be designed to

protect and maintain existing uses and maintain the level of water quality necessary to protect those uses in all streams, and to protect and maintain water quality in special protection streams.

C. Water quality involves the chemical, biological and physical characteristics of surface water bodies. After Regulated Earth Disturbance activities are complete, these characteristics can be impacted by addition of pollutants such as sediment, and changes in habitat through increased flow volumes and/or rates as a result of changes in land surface area from those activities. Therefore, permanent discharges to surface waters must be managed to protect the stream bank, streambed and structural integrity of the waterway, to prevent these impacts.

Storm water - The surface runoff generated by precipitation reaching the ground surface.

Surface Waters of the Commonwealth - Any and all rivers, streams, creeks, rivulets, impoundments, ditches, watercourses, storm sewers, lakes, dammed water, wetlands, ponds, springs, and all other bodies or channels of conveyance of surface water, or parts thereof, whether natural or artificial, within or on the boundaries of this Commonwealth.

Watercourse - A channel or conveyance of surface water, such as a stream or creek, having defined bed and banks, whether natural or artificial, with perennial or intermittent flow.

Watershed - Region or area drained by a river, watercourse or other body of water, whether natural or artificial.

SECTION 9. General Requirements for Storm Water Management.

A. All Regulated Earth Disturbance activities within the Municipality shall be designed, implemented, operated and maintained to meet the purposes of this Ordinance, through these two elements:

1. Erosion and Sediment control during the earth disturbance activities (e.g., during construction), and
2. Water quality protection measures after completion of earth disturbance activities (e.g. after construction), including operations and maintenance.

B. No Regulated Earth Disturbance activities within the Municipality shall commence until the requirements of this Ordinance are met.

C. Erosion and sediment control during Regulated Earth Disturbance activities shall be addressed as required by Section 11.

D. Post-construction water quality protection shall be addressed as required by Section 12. Operations and maintenance of permanent storm water BMPs shall be addressed as required by Article IV.

E. All Best Management Practices (BMPs) used to meet the requirements of this Ordinance shall conform to the State Water Quality Requirements, and any more stringent requirements as determined by the Municipality.

F. Techniques described in Appendix A (Low Impact Development) of this Ordinance are encouraged, because they reduce the costs of complying with the requirements of this Ordinance and the State Water Quality Requirements.

SECTION 10. Permit Requirements by Other Government Entities.

The following permit requirements may apply to certain Regulated Earth Disturbance activities, and must be met prior to commencement of Regulated Earth Disturbance activities, as applicable:

A. All Regulated Earth Disturbance activities subject to permit requirements by DEP under regulations at 25 Pa. Code Chapter 102.

B. Work within natural drainage ways subject to permit by DEP under 25 Pa. Code Chapter 105.

C. Any storm water management facility that would be located in or adjacent to surface waters of the Commonwealth, including wetlands, subject to permit by DEP under 25 Pa. Code Chapter 105.

D. Any storm water management facility that would be located on a State highway right-of-way, or require access from a state highway, shall be subject to approval by the Pennsylvania Department of Transportation (PENNDOT).

E. Culverts, bridges, storm sewers or any other facilities which must pass or convey flows from the tributary area and any facility which may constitute a dam subject to permit by DEP under 25 Pa. Code Chapter 105.

SECTION 11. Erosion and Sediment Control During Regulated Earth Disturbance Activities.

A. No Regulated Earth Disturbance activities within the Municipality shall commence until approval by the Municipality of an Erosion and Sediment Control Plan for construction activities.

B. DEP has regulations that require an Erosion and Sediment Control Plan for any earth disturbance activity of 5,000 square feet or more, under 25 Pa. Code § 102.4(b).

C. In addition, under 25 Pa. Code Chapter 92, a DEP "NPDES Construction Activities" permit is required for Regulated Earth Disturbance activities.

D. Evidence of any necessary permit(s) for Regulated Earth Disturbance activities from the appropriate DEP regional office or County Conservation District must be provided to the Municipality. The issuance of an NPDES Construction Permit (or permit coverage under the statewide General Permit (PAG-2) satisfies the requirements Section 11 A.

E. A copy of the Erosion and Sediment Control plan and any required permit, as required by DEP regulations, shall be available at the project site at all times.

SECTION 12. Water Quality Requirements After Regulated Earth Disturbance Activities Are Complete.

A. No Regulated Earth Disturbance activities within the Municipality shall commence until approval by the Municipality of a plan which demonstrates compliance with State Water Quality Requirements after construction is complete.

B. The BMPs must be designed, implemented and maintained to meet State Water Quality Requirements, and any other more stringent requirements as determined by the Municipality.

C. To control post-construction storm water impacts from Regulated Earth Disturbance activities, State Water Quality Requirements can be met by BMPs, including site design, which provide for replication of pre-construction storm water infiltration and runoff conditions, so that post-construction storm water discharges do not degrade the physical, chemical or biological characteristics of the receiving waters. This may be achieved by the following:

1. Infiltration: replication of pre-construction storm water infiltration conditions,
2. Treatment: use of water quality treatment BMPs to ensure filtering out of the chemical and physical pollutants from the storm water runoff, and
3. Streambank and Streambed Protection: management of volume and rate of post-construction storm water discharges to prevent physical degradation of receiving waters (e.g., from scouring).

D. DEP has regulations that require municipalities to ensure design, implementation and maintenance of Best Management Practices (“BMPs”) that control runoff from new development and redevelopment after Regulated Earth Disturbance activities are complete. These requirements include the need to implement post-construction storm water BMPs with assurance of long-term operations and maintenance of those BMPs.

E. Evidence of any necessary permit(s) for Regulated Earth Disturbance activities from the appropriate DEP regional office must be provided to the Municipality. The issuance of an NPDES Construction Permit (or permit coverage under the statewide General Permit (PAG-2)) satisfies the requirements of Section 12 A.

F. BMP operations and maintenance requirements are described in Article IV of this Ordinance.

SECTION 13. General Requirements for Storm Water BMP Operations and Maintenance Plan Requirements.

A. No Regulated Earth Disturbance activities within the Municipality shall commence until approval by the Municipality of BMP Operations and Maintenance plan which describes how the permanent (e.g., post-construction) storm water BMPs will be properly operated and maintained.

B. The following items shall be included in the BMP Operations and Maintenance Plan:

1. Map(s) of the project area, in a form that meets the requirements for recording at the offices of the Recorder of Deeds of Allegheny County, and shall be submitted on 24-inch x 36-inch or 30-inch x 42-inch sheets. The contents of the maps(s) shall include, but not be limited to:
 - a. Clear identification of the location and nature of permanent storm water BMPs,
 - b. The location of the project site relative to highways, municipal boundaries or other identifiable landmarks,
 - c. Existing and final contours at intervals of two feet, or others as appropriate,
 - d. Existing streams, lakes, ponds, or other bodies of water within the project site area,
 - e. Other physical features including flood hazard boundaries, sinkholes, streams, existing drainage courses, and areas of natural vegetation to be preserved,
 - f. The locations of all existing and proposed utilities, sanitary sewers, and water lines within 50 feet of property lines of the project site,
 - g. Proposed final changes to the land surface and vegetative cover, including the type and amount of impervious area that would be added,
 - h. Proposed final structures, roads, paved areas, and buildings, and
 - i. A fifteen-foot wide access easement around all storm water BMPs that would provide ingress to and egress from a public right-of-way.
2. A description of how each permanent storm water BMP will be operated and maintained, and the identity of the person(s) responsible for operations and maintenance,
3. The name of the project site, the name and address of the owner of the property, and the name of the individual or firm preparing the Plan, and

4. The storm water BMPs must be prepared and sealed by a registered professional engineer, surveyor and/or landscape architect with training and expertise in hydrology and hydraulics. Documentation of qualification may be required by the Municipality.

5. A statement, signed by the landowner, acknowledging that the storm water BMPs are fixtures that can be altered or removed only after approval by the Municipality.

SECTION 14. Responsibilities for Operations and Maintenance of BMPs.

A. The BMP Operations and Maintenance Plan for the project site shall establish responsibilities for the continuing operation and maintenance of all permanent storm water BMPs, as follows:

1. If a Plan includes structures or lots which are to be separately owned and in which streets, sewers and other public improvements are to be dedicated to the Municipality, storm water BMPs may also be dedicated to and maintained by the Municipality;

2. If a Plan includes operations and maintenance by a single ownership, or if sewers and other public improvements are to be privately owned and maintained, then the operation and maintenance of storm water BMPs shall be the responsibility of the owner or private management entity.

B. The Municipality shall make the final determination on the continuing operations and maintenance responsibilities. The Municipality reserves the right to accept or reject the operations and maintenance responsibility for any or all of the storm water BMPs.

SECTION 15. Municipality Review of BMP Operations and Maintenance Plan.

A. The Municipality shall review the BMP Operations and Maintenance Plan for consistency with the purposes and requirements of this ordinance, and any permits issued by DEP.

B. The Municipality shall notify the Applicant in writing whether the BMP Operations and Maintenance Plan is approved.

C. The Municipality may require an "As-Built Survey" of all storm water BMPs, and an explanation of any discrepancies with the Operations and Maintenance Plan.

SECTION 16. Adherence to Approved BMP Operations and Maintenance Plan.

It shall be unlawful to alter or remove any permanent storm water BMP required by an approved BMP Operations and Maintenance Plan, or to allow the property to remain in a

condition which does not conform to an approved BMP Operations and Maintenance Plan, unless an exception is granted in writing by the Municipality.

SECTION 17. Operations and Maintenance Agreement for Privately Owned Storm water BMPs.

A. The property owner shall sign an operations and maintenance agreement with the Municipality covering all storm water BMPs that are to be privately owned. The agreement shall be substantially the same as the agreement in Appendix B of this Ordinance.

B. Other items may be included in the agreement where determined necessary to guarantee the satisfactory operation and maintenance of all permanent storm water BMPs. The agreement shall be subject to the review and approval of the Municipality.

SECTION 18. Storm water Management Easements.

A. Storm water management easements are required for all areas used for off-site storm water control, unless a waiver is granted by the Municipal Engineer.

B. Storm water management easements shall be provided by the property owner if necessary for (1) access for inspections and maintenance, or (2) preservation of storm water runoff conveyance, infiltration, and detention areas and other BMPs, by persons other than the property owner. The purpose of the easement shall be specified in any agreement under Section 17.

SECTION 19. Recording of Approved BMP Operations and Maintenance Plan and Related Agreements.

A. The owner of any land upon which permanent BMPs will be placed, constructed or implemented, as described in the BMP Operations and Maintenance Plan, shall record the following documents in the Office of the Recorder of Deeds for Allegheny County, within 15 days of approval of the BMP Operations Plan by the Municipality:

1. The Operations and Maintenance Plan, or a summary thereof,
2. Operations and Maintenance Agreements under Section 17, and
3. Easements under Section 18.

B. The Municipality may suspend or revoke any approvals granted for the project site upon discovery of the failure of the owner to comply with this Section.

SECTION 20. Municipal Storm water BMP Operation and Maintenance Fund.

A. If storm water BMPs are accepted by the municipality for dedication, the Municipality may require persons installing storm water BMPs to pay a specified amount to the

Municipal Storm water BMP Operation and Maintenance Fund, to help defray costs of operations and maintenance activities. The amount may be determined as follows:

1. If the BMP is to be owned and maintained by the Municipality, the amount shall cover the estimated costs for operations and maintenance for ten (10) years, as determined by the Municipality.
2. The amount shall then be converted to present worth of the annual series values.

B. If a BMP is proposed that also serves as a recreation facility (e.g. ball field, lake), the Municipality may adjust the amount due accordingly.

SECTION 20. Inspections.

A. DEP or its designees (e.g., County Conservation Districts) normally ensure compliance with any permits issued, including those for storm water management. In addition to DEP compliance programs, the Municipality or its designee may inspect all phases of the construction, operations, maintenance and any other implementation of storm water BMPs.

B. During any stage of the Regulated Earth Disturbance activities, if the Municipality or its designee determines that any BMPs are not being implemented in accordance with this Ordinance, the Municipality may suspend or revoke any existing permits or other approvals until the deficiencies are corrected.

SECTION 21. Right of Entry.

A. Upon presentation of proper credentials, duly authorized representatives of the Municipality may enter at reasonable times upon any property within the Municipality to inspect the implementation, condition, or operation and maintenance of the storm water BMPs in regard to any aspect governed by this Ordinance.

B. BMP owners and operators shall allow persons working on behalf of the Municipality ready access to all parts of the premises for the purposes of determining compliance with this Ordinance.

C. Persons working on behalf of the Municipality shall have the right to temporarily locate on any BMP in the Municipality such devices as are necessary to conduct monitoring and/or sampling of the discharges from such BMP.

D. Unreasonable delays in allowing the Municipality access to a BMP is a violation of this Ordinance.

SECTION 22. Fees and Expenses Generally.

The Municipality may charge a reasonable fee for review of BMP Operations and Maintenance Plans to defray review costs incurred by the Municipality. The Applicant shall pay all such fees.

SECTION 23. Expenses Covered by Fees.

The fees required by this Ordinance may cover:

- A. Administrative/clerical Costs.
- B. The review of the BMP Operations and Maintenance Plan by the Municipal Engineer.
- C. The site inspections including, but not limited to, pre-construction meetings, inspections during construction of storm water BMPs, and final inspection upon completion of the storm water BMPs.
- D. Any additional work required to monitor and enforce any provisions of this Ordinance, correct violations, and assure proper completion of stipulated remedial actions.

SECTION 23. Prohibited Discharges.

A. No person in the Municipality shall allow, or cause to allow, storm water discharges into the Municipality's separate storm sewer system which is not composed entirely of storm water, except (1) as provided in subsection B below, and (2) discharges allowed under a state or federal permit.

B. Discharges which may be allowed based on a finding by the Municipality that the discharge(s) do not significantly contribute to pollution to surface waters of the Commonwealth, are:

- Discharges from fire fighting activities
- Uncontaminated water from foundation or from footing drains
- Potable water sources including dechlorinated water line and fire hydrant flushings
- Flows from riparian habitats and wetlands
- Lawn watering
- Irrigation drainage
- Pavement washwaters where spills or leaks of toxic or hazardous materials have not occurred (unless all spill material has been removed) and where detergents are not used
- Routine external building wash-down (which does not use detergents or other compounds)
- Air conditioning condensate

- Water from individual residential car washing
- Dechlorinated swimming pool discharges
- Springs
- Uncontaminated groundwater
- Water from crawl space pumps

C. In the event that the Municipality determines that any of the discharges identified in Subsection B significantly contribute to pollution of waters of the Commonwealth, or is so notified by DEP, the Municipality will notify the responsible person to cease the discharge.

D. Upon notice provided by the Municipality under subsection C, the discharger will have a reasonable time, as determined by the Municipality, to cease the discharge consistent with the degree of pollution caused by the discharge.

E. Nothing in this Section shall affect a discharger's responsibilities under state law.

SECTION 24. Prohibited Connections.

A. The following connections are prohibited, except as provided in Section 23.B above:

1. any drain or conveyance, whether on the surface or subsurface, which allows any non-storm water discharge including sewage, process wastewater, and wash water, to enter the separate storm sewer system, and any connections to the storm drain system from indoor drains and sinks; and

2. Any drain or conveyance connected from a commercial or industrial land use to the separate storm sewer system which has not been documented in plans, maps, or equivalent records, and approved by the Municipality.

SECTION 25. Roof drains.

A. Roof drains shall not be connected to streets, sanitary or storm sewers or roadside ditches, except as provided in Subsection B.

B. When it is more advantageous to connect directly to streets or storm sewers, connections of roof drains to streets or roadside ditches may be permitted by the Municipality.

C. Roof drains shall discharge to infiltration areas or vegetative BMPs to the maximum extent practicable.

SECTION 26. Alteration of BMPs.

A. No person shall modify, remove, fill, landscape or alter any existing storm water BMP, unless it is part of an approved maintenance program, without the written approval of the Municipality.

B. No person shall place any structure, fill, landscaping or vegetation into a storm water BMP or within a drainage easement, which would limit or alter the functioning of the BMP, without the written approval of the Municipality.

SECTION 27. Public Nuisance.

A. The violation of any provision of this ordinance is hereby deemed a Public Nuisance.

B. Each day that a violation continues shall constitute a separate violation.

SECTION 28. Enforcement Generally.

A. Whenever the Municipality finds that a person has violated a prohibition or failed to meet a requirement of this Ordinance, the Municipality may order compliance by written notice to the responsible person. Such notice may require without limitation:

1. The performance of monitoring, analyses, and reporting;
2. The elimination of prohibited connections or discharges;
3. Cessation of any violating discharges, practices, or operations;
4. The abatement or remediation of storm water pollution or contamination hazards and the restoration of any affected property;
5. Payment of a fine to cover administrative and remediation costs;
6. The implementation of storm water BMPs; and
7. Operation and maintenance of storm water BMPs.

B. Such notification shall set forth the nature of the violation(s) and establish a time limit for correction of these violations(s). Said notice may further advise that, if applicable, should the violator fail to take the required action within the established deadline, the work will be done by the Municipality or designee and the expense thereof shall be charged to the violator.

C. Failure to comply within the time specified shall also subject such person to the penalty provisions of this Ordinance. All such penalties shall be deemed cumulative and shall not prevent the Municipality from pursuing any and all other remedies available in law or equity.

SECTION 29. Suspension and Revocation of Permits and Approvals.

A. Any building, land development or other permit or approval issued by the Municipality may be suspended or revoked by the Municipality for:

1. Non-compliance with or failure to implement any provision of the permit;
2. A violation of any provision of this Ordinance; or

3. The creation of any condition or the commission of any act during construction or development which constitutes or creates a hazard or nuisance, pollution or which endangers the life or property of others.

B. A suspended permit or approval shall be reinstated by the Municipality when:

1. The Municipal Engineer or designee has inspected and approved the corrections to the storm water BMPs, or the elimination of the hazard or nuisance, and/or;
2. The Municipality is satisfied that the violation of the Ordinance, law, or rule and regulation has been corrected.

C. A permit or approval which has been revoked by the Municipality cannot be reinstated. The applicant may apply for a new permit under the procedures outlined in this Ordinance.

SECTION 30. Penalties.

A. Any person violating the provisions of this ordinance shall be guilty of a misdemeanor, and upon conviction shall be subject to a fine of not more than \$1,000.00 for each violation, recoverable with costs, or imprisonment of not more than 30 days, or both. Each day that the violation continues shall be a separate offense.


B. In addition, the Municipality, through its solicitor, may institute injunctive, mandamus or any other appropriate action or proceeding at law or in equity for the enforcement of this Ordinance. Any court of competent jurisdiction shall have the right to issue restraining orders, temporary or permanent injunctions, mandamus or other appropriate forms of remedy or relief.


SECTION 31. Appeals.

Any person aggrieved by any action of the Municipality or its designee, relevant the provisions of this ordinance, may appeal to the relevant judicial or administrative body according to law, within the time period allowed.

ORDAINED and ENACTED this 12th day of April, 2005.

ATTEST:


Marshall Bond, Municipal Manager


James J. Lomeo, Mayor

ENTERED INTO LEGAL BOOK: April 22, 2005

APPENDIX A
LOW IMPACT DEVELOPMENT PRACTICES
ALTERNATIVE APPROACH FOR
MANAGING STORM WATER RUNOFF

Natural hydrologic conditions may be altered radically by poorly planned development practices, such as introducing unneeded impervious surfaces, destroying existing drainage swales, constructing unnecessary storm sewers, and changing local topography. A traditional drainage approach of development has been to remove runoff from a site as quickly as possible and capture it in a detention basin. This approach leads ultimately to the degradation of water quality as well as expenditure of additional resources for detaining and managing concentrated runoff at some downstream location. The recommended alternative approach is to promote practices that will minimize post development runoff rates and volumes, which will minimize needs for artificial conveyance and storage facilities. To simulate pre-development hydrologic conditions, forced infiltration is often necessary to offset the loss of infiltration by creation of impervious surfaces. The ability of the ground to infiltrate depends upon the soil types and its conditions. Preserving natural hydrologic conditions requires careful alternative site design considerations. Site design practices include preserving natural drainage features, minimizing impervious surface area, reducing the hydraulic connectivity of impervious surfaces, and protecting natural depression storage. A well-designed site will contain a mix of all those features. The following describes various techniques to achieve the alternative approach:

- **Preserving Natural Drainage Features.** Protecting natural drainage features, particularly vegetated drainage swales and channels, is desirable because of their ability to infiltrate and attenuate flows and to filter pollutants. However, this objective is often not accomplished in land development. In fact, commonly held drainage philosophy encourages just the opposite pattern -- streets and adjacent storm sewers typically are located in the natural headwater valleys and swales, thereby replacing natural drainage functions with a completely impervious system. As a result, runoff and pollutants generated from impervious surfaces flow directly into storm sewers with no opportunity for attenuation, infiltration, or filtration. Developments designed to fit site topography also minimizes the amount of grading on site.
- **Protecting Natural Depression Storage Areas.** Depressional storage areas have no surface outlet, or drain very slowly following a storm event. They can be commonly seen as ponded areas in farm fields during the wet season or after large runoff events. Traditional development practices eliminate these depressions by filling or draining, thereby obliterating their ability to reduce surface runoff volumes and trap pollutants. The volume and release-rate characteristics of depressions should be protected in the design of the development site. The depressions can be protected by simply avoiding the depression or by incorporating its storage as additional capacity in required detention facilities.
- **Avoiding introduction of impervious areas.** Careful site planning should consider reducing impervious coverage to the maximum extent possible. Building footprints, sidewalks, driveways and other features producing impervious surfaces should be evaluated to minimize impacts on runoff.

- **Reducing the Hydraulic Connectivity of Impervious Surfaces.** Impervious surfaces are significantly less of a problem if they are not directly connected to an impervious conveyance system (such as storm sewer). Two basic ways to reduce hydraulic connectivity are routing of roof runoff over lawns and reducing the use of storm sewers. Site grading should promote increasing travel time of storm water runoff, and should help reduce concentration of runoff to a single point in the development.

- **Routing Roof Runoff Over Lawns.** Roof runoff can be easily routed over lawns in most site designs. The practice discourages direct connections of downspouts to storm sewers or parking lots. The practice also discourages sloping driveways and parking lots to the street. By routing roof drains and crowning the driveway to run off to the lawn, the lawn is essentially used as a filter strip.

- **Reducing the Use of Storm Sewers.** By reducing use of storm sewers for draining streets, parking lots, and back yards, the potential for accelerating runoff from the development can be greatly reduced. The practice requires greater use of swales and may not be practical for some development sites, especially if there are concerns for areas that do not drain in a “reasonable” time. The practice requires educating local citizens and public works officials, who expect runoff to disappear shortly after a rainfall event.

- **Reducing Street Widths.** Street widths can be reduced by either eliminating on-street parking or by reducing roadway widths. Municipal planners and traffic designers should encourage narrower neighborhood streets which ultimately could lower maintenance.

- **Limiting Sidewalks to One Side of the Street.** A sidewalk on one side of the street may suffice in low-traffic neighborhoods. The lost sidewalk could be replaced with bicycle/recreational trails that follow back-of-lot lines. Where appropriate, backyard trails should be constructed using pervious materials.

- **Using Permeable Paving Materials.** These materials include permeable interlocking concrete paving blocks or porous bituminous concrete. Such materials should be considered as alternatives to conventional pavement surfaces, especially for low use surfaces such as driveways, overflow parking lots, and emergency access roads.

- **Reducing Building Setbacks.** Reducing building setbacks reduces driveway and entry walks and is most readily accomplished along low-traffic streets where traffic noise is not a problem.

- **Constructing Cluster Developments.** Cluster developments can also reduce the amount of impervious area for a given number of lots. The biggest savings is in street length, which also will reduce costs of the development. Cluster development clusters the construction activity onto less-sensitive areas without substantially affecting the gross density of development. In summary, a careful consideration of the existing topography and implementation of a combination of the above mentioned techniques may avoid construction of costly storm water control measures. Other benefits include reduced potential of downstream flooding, water quality degradation of receiving streams/water bodies and enhancement of aesthetics and reduction of development costs. Beneficial results include more stable base flows in receiving streams,

improved groundwater recharge, reduced flood flows, reduced pollutant loads, and reduced costs for conveyance and storage.

APPENDIX B
STORM WATER BEST MANAGEMENT PRACTICES
OPERATIONS AND MAINTENANCE AGREEMENT

THIS AGREEMENT, made and entered into this _____ day of _____, 2004 by and between _____, (hereinafter the "Landowner"), and _____, _____ County, Pennsylvania, (hereinafter "Municipality");

WITNESSETH

WHEREAS, the Landowner is the owner of certain real property as recorded by deed in the land records of _____ County, Pennsylvania, Deed Book _____ at Page _____, (hereinafter "Property").

WHEREAS, the Landowner is proceeding to build and develop the Property; and

WHEREAS, the storm water management BMP Operations and Maintenance Plan approved by the Municipality (hereinafter referred to as the "Plan") for the property identified herein, which is attached hereto as Appendix A and made part hereof, as approved by the Municipality, provides for management of storm water within the confines of the Property through the use of Best Management Practices (BMP's); and

WHEREAS, the Municipality, and the Landowner, his successors and assigns, agree that the health, safety, and welfare of the residents of the Municipality and the protection and maintenance of water quality require that on-site storm water Best Management Practices be constructed and maintained on the Property; and

WHEREAS, for the purposes of this agreement, the following definitions shall apply:

- BMP – “Best Management Practice;” activities, facilities, designs, measures or procedures used to manage storm water impacts from land development, to protect and maintain water quality and groundwater recharge and to otherwise meet the purposes of the Municipal Storm water Management Ordinance, including but not limited to infiltration trenches, seepage pits, filter strips, bioretention, wet ponds, permeable paving, rain gardens, grassed swales, forested buffers, sand filters and detention basins.
- Infiltration Trench – A BMP surface structure designed, constructed, and maintained for the purpose of providing infiltration or recharge of storm water into the soil and/or groundwater aquifer,
- Seepage Pit – An underground BMP structure designed, constructed, and maintained for the purpose of providing infiltration or recharge of storm water into the soil and/or groundwater aquifer,
- Rain Garden – A BMP overlain with appropriate mulch and suitable vegetation designed, constructed, and maintained for the purpose of providing infiltration or recharge of storm water into the soil and/or underground aquifer, and

WHEREAS, the Municipality requires, through the implementation of the Plan, that storm water management BMP’s as required by said Plan and the Municipal Storm water Management Ordinance be constructed and adequately operated and maintained by the Landowner, his successors and assigns. And

NOW THEREFORE, in consideration of the foregoing promises, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

1. The BMPs shall be constructed by the Landowner in accordance with the plans and specifications identified in the Plan.

2. The Landowner shall operate and maintain the BMP(s) as shown on the Plan in good working order acceptable to the Municipality and in accordance with the specific maintenance requirements noted on the Plan.

3. The Landowner hereby grants permission to the Municipality, its authorized agents and employees, to enter upon the property, at reasonable times and upon presentation of proper identification, to inspect the BMP(s) whenever it deems necessary. Whenever possible, the Municipality shall notify the Landowner prior to entering the property.

4. In the event the Landowner fails to operate and maintain the BMP(s) as shown on the Plan in good working order acceptable to the Municipality, the Municipality or its representatives may enter upon the Property and take whatever action is deemed necessary to maintain said BMP(s). This provision shall not be construed to allow the Municipality to erect any permanent structure on the land of the Landowner. It is expressly understood and agreed that the Municipality is under no obligation to maintain or repair said facilities, and in no event shall this Agreement be construed to impose any such obligation on the Municipality.

5. In the event the Municipality, pursuant to this Agreement, performs work of any nature, or expends any funds in performance of said work for labor, use of equipment, supplies, materials, and the like, the Landowner shall reimburse the Municipality for all expenses (direct and indirect) incurred within 10 days of receipt of invoice from the Municipality.

6. The intent and purpose of this Agreement is to ensure the proper maintenance of the onsite BMP(s) by the Landowner; provided, however, that this Agreement shall not be deemed to create or effect any additional liability of any party for damage alleged to result from or be caused by storm water runoff.

7. The Landowner, its executors, administrators, assigns, and other successors in interests, shall release the Municipality's employees and designated representatives from all damages, accidents, casualties, occurrences or claims which might arise or be asserted against said employees and representatives from the construction, presence, existence, or maintenance of the BMP(s) by the Landowner or Municipality. In the event that a claim is asserted against the Municipality, its designated representatives or employees, the Municipality shall promptly notify the Landowner and the Landowner shall defend, at his own expense, any suit based on the claim. If any judgment or claims against the Municipality's employees or designated representatives shall be allowed, the Landowner shall pay all costs and expenses regarding said judgment or claim.

8. The Municipality shall inspect the BMP(s) at a minimum of once every three years to ensure their continued functioning.

This Agreement shall be recorded at the Office of the Recorder of Deeds of Allegheny County, Pennsylvania, and shall constitute a covenant running with the Property and/or equitable servitude, and shall be binding on the Landowner, his administrators, executors, assigns, heirs and any other successors in interests, in perpetuity.

ATTEST:

WITNESS the following signatures and seals:

(SEAL)

For the Municipality:

(SEAL)

For the Landowner:

ATTEST:

County of Allegheny, Pennsylvania

I, _____, a Notary Public in and for the County and State aforesaid, whose commission expires on the ___ day of _____, 2005, do hereby certify that _____ whose name(s) is/are signed to the foregoing Agreement bearing date of the _____ day of _____, 2005, has acknowledged the same before me in my said County and State.

GIVEN UNDER MY HAND THIS _____ day of _____, 2005.

NOTARY PUBLIC

(SEAL)